

The Johns Hopkins ACG® System Bibliography

as of January 24, 2012



Corrections or updates should be forwarded to askacg@jhsph.edu

1. Adams EK, Bronstein JM, Becker E. (2000) Medi-Cal and Managed Care: Risk, Costs, and Regional Variation. Sacramento, CA: Public Policy Institute of California.
2. Adams EK, Bronstein JM, Raskind-Hood C. (2002) Adjusted clinical groups: predictive accuracy for Medicaid enrollees in three states. *Health Care Financ Rev* 24:43-61.
3. AdvanceMed Corp. (2003) Applicability of Predictive Risk Groupers to MHS Data Model. AdvanceMed Corp.
4. Aguado A, Guino E, Mukherjee B, Sicras A, Serrat J, Acedo M, Ferro JJ, Moreno V. (2008) Variability in prescription drug expenditures explained by adjusted clinical groups (ACG) case-mix: a cross-sectional study of patient electronic records in primary care. *BMC Health Serv Res* 8:53. <http://www.ncbi.nlm.nih.gov/pubmed/18318912>.
5. Allen SM, Croke AL. (2000) *The Faces of Medicaid: The Complexities of Caring for People with Chronic Illnesses and Disabilities*. Hamilton, NJ: Center for Health Care Strategies. http://www.chcs.org/publications3960/publications_show.htm?doc_id=214265.
6. Anderson GF, Weller WE. (1999) Methods of reducing the financial risk of physicians under capitation. *Arch Fam Med* 8:149-155. <http://www.ncbi.nlm.nih.gov/pubmed/10101986>.
7. Ash A, McCall N. (2005) *Risk Assessment of Military Populations to Predict Health Care Cost and Utilization*. Final report prepared for Center for Health Care Management Studies. RTI Project No. 08490.006. Washington, DC: RTI International and Boston University School of Medicine.
8. Austin PC, van Walraven C, Wodchis WP, Newman A, Anderson GM. (2011) Using the Johns Hopkins aggregated diagnosis groups (ADGs) to predict mortality in a general adult population cohort in Ontario, Canada. *Med Care* 49:932-939. <http://www.ncbi.nlm.nih.gov/pubmed/21478773>.
9. Austin PC, Walraven C. (2011) The mortality risk score and the ADG score: two points-based scoring systems for the Johns Hopkins aggregated diagnosis groups to predict mortality in a general adult population cohort in Ontario, Canada. *Med Care* 49:940-947. <http://www.ncbi.nlm.nih.gov/pubmed/21921849>.
10. Baldwin LM, Klabunde CN, Green P, Barlow W, Wright G. (2006) In search of the perfect comorbidity measure for use with administrative claims data: does it exist? *Med Care* 44:745-753. <http://www.ncbi.nlm.nih.gov/pubmed/16862036>.
11. Balicer RD, Shadmi E, Geffen K, Cohen AD, Abrams C, Siemens KK, Regev-Rosenberg S. (2010) Towards a more equitable distribution of resources and assessment of quality of care: validation of a comorbidity based case-mix system. *Harefuah* 149:665-669 (in Hebrew).
12. Banerjee R, Ziegenfuss JY, Shah ND. (2010) Impact of discontinuity in health insurance on resource utilization. *BMC Health Serv Res* 10:195. <http://www.ncbi.nlm.nih.gov/pubmed/20604965>.

13. Barnard DK, Hu W. (2005) The Population Health Approach: health GIS as a bridge from theory to practice. *Int J Health Geogr* 4:23. <http://www.ncbi.nlm.nih.gov/pubmed/16209717>.
14. Blustein J, Hanson K, Shea S. (1998) Preventable hospitalizations and socioeconomic status. *Health Aff* 17:177-189. <http://www.ncbi.nlm.nih.gov/pubmed/9558796>.
15. Bohman TM, Wallisch L, Christensen K, Stoner D, Pittman A, Reed B, Ostermeyer B. (2011) Working well - the Texas demonstration to maintain independence and employment: 18-month outcomes. *Journal of Vocational Rehabilitation* 34:97-106. <http://iospress.metapress.com/content/m60166134k49v864/>.
16. Bolibar Ribas B, Juncosa Font S. (2000) Ambulatory care groups as a primary care patient classification system. *Cuadernos de Gestion* 6:19-24 (in Spanish).
17. Bolton JM, Metge C, Lix L, Prior H, Sareen J, Leslie WD. (2008) Fracture risk from psychotropic medications: a population-based analysis. *J Clin Psychopharmacol* 28:384-391. <http://www.ncbi.nlm.nih.gov/pubmed/18626264>.
18. Bolton JM, Targownik LE, Leung S, Sareen J, Leslie WD. (2011) Risk of low bone mineral density associated with psychotropic medications and mental disorders in postmenopausal women. *J Clin Psychopharmacol* 31:56-60. <http://www.ncbi.nlm.nih.gov/pubmed/21192144>.
19. Bono CA, Shenkman E. (2001) *The Actual Versus Expected Health Care Use among Healthy Kids Enrollees*. Gainesville, FL: Institute for Child Health Policy, University of Florida.
20. Bonomi AE, Anderson ML, Reid RJ, Rivara FP, Carrell D, Thompson RS. (2009) Medical and psychosocial diagnoses in women with a history of intimate partner violence. *Arch Intern Med* 169:1692-1697. <http://www.ncbi.nlm.nih.gov/pubmed/19822826>.
21. Borkan J, Eaton CB, Novillo-Ortiz D, Rivero Corte P, Jadad AR. (2010) Renewing primary care: lessons learned from the Spanish health care system. *Health Aff* 29:1432-1441. <http://www.ncbi.nlm.nih.gov/pubmed/20679646>.
22. Briggs LW, Rohrer JE, Ludke RL, Hilsenrath PE, Phillips KT. (1995) Geographic variation in primary care visits in Iowa. *Health Serv Res* 30:657-671. <http://www.ncbi.nlm.nih.gov/pubmed/8537225>.
23. Broemeling A. (2005) *Chronic Care Management: Understanding Chronic Health Conditions and Co-morbidity*. Vancouver, BC: Centre for Health Services and Policy Research, University of British Columbia.
24. Broemeling AM, Watson D, Black C. (2005) *Chronic Conditions and Co-morbidity among Residents of British Columbia*. Vancouver, BC: Centre for Health Services and Policy Research, University of British Columbia.
25. Brownell M, Roos N, Fransoo R, et al. (2006) Is the class half empty? A population-based perspective on socioeconomic status and educational outcomes. *IRPP Choices* 12:1-30.
26. Buntin MJB, Newhouse JP. (1998) *Employer Purchasing Coalitions and Medicaid: Experiences with Risk Adjustment*. New York, NY: Commonwealth Fund. <http://www.commonwealthfund.org/Content/Publications/Fund-Reports/1998/Jul/Employer-Purchasing-Coalitions-and-Medicaid--Experiences-with-Risk-Adjustment.aspx>.

27. Bureau of Primary Health Care by MDS Associates. (1998) Differences in Case Mix Between CHC Users and Non Users: Washington and Missouri, 1992. Final Report. Rockville, MD: Bureau of Primary Health Care.
28. Calderon-Larranaga A, Abrams C, Poblador-Plou B, Weiner JP, Prados-Torres A. (2010) Applying diagnosis and pharmacy-based risk models to predict pharmacy use in Aragon, Spain: the impact of a local calibration. BMC Health Serv Res 10:22. <http://www.ncbi.nlm.nih.gov/pubmed/20092654>.
29. Carlin C, Town R. (2009) Adverse Selection, Welfare and the Optimal Pricing of Employer-Sponsored Health Plans. St. Paul, MN: University of Minnesota and NBER. https://editorialexpress.com/cgi-bin/conference/download.cgi?db_name=NASM2009&paper_id=199.
30. Carlsson L. (2005) Clinical and Economic Features of Categories of Patients in Defined Populations (Dissertation). Huddinge, Sweden: Department of Clinical Services, Center for Family and Community Medicine, Karolinska Institute.
31. Carlsson L, Borjesson U, Edgren L. (2002) Patient based 'burden-of-illness' in Swedish primary health care. Applying the Johns Hopkins ACG case-mix system in a retrospective study of electronic patient records. Int J Health Plann Manage 17:269-282. <http://www.ncbi.nlm.nih.gov/pubmed/12298147>.
32. Carlsson L, Borjesson U, Nilsson GH. (2007) Patient based patterns of morbidity, a 17 year follow-up on patient records in primary care in Sweden. BMC Health Serv Res 7:A13. <http://www.biomedcentral.com/content/pdf/1472-6963-7-S1-A13.pdf>.
33. Carlsson L, Strender LE, Fridh G, Nilsson G. (2004) Types of morbidity and categories of patients in a Swedish county. Applying the Johns Hopkins Adjusted Clinical Groups System to encounter data in primary health care. Scand J Prim Health Care 22:174-179. <http://www.ncbi.nlm.nih.gov/pubmed/15370795>.
34. Carlsson L, Strender LE, Fridh G, Nilsson GH. (2006) Clinical categories of patients and encounter rates in primary health care - a three-year study in defined populations. BMC Public Health 6:35. <http://www.ncbi.nlm.nih.gov/pubmed/16483353>.
35. Carmona M, Garcia-Olmos LM, Alberquilla A, Munoz A, Garcia-Sagredo P, Somolinos R, Pascual-Carrasco M, Salvador CH, Monteagudo JL. (2011) Heart failure in the family practice: a study of the prevalence and co-morbidity. Fam Pract 28:128-133. <http://www.ncbi.nlm.nih.gov/pubmed/20978242>.
36. Center for Health Program Development and Management, University of Maryland, Baltimore County, and Actuarial Research Corporation. (2003) A Guide to Implementing a Health-Based Risk-Adjusted Payment System for Medicaid Managed Care Programs. Annandale, VA: Center for Health Program Development and Management, University of Maryland, Baltimore County, and Actuarial Research Corporation.
37. Center for Health Quality Outcomes and Economic Research. (1997) Health Quality Section Update, ACGs: An Ambulatory Care Case-mix Measure. Bedford, MA: CHQOER Quarterly, ENRM VA Hospital.
38. Chang HY, Clark JM, Weiner JP. (2011) Morbidity trajectories as predictors of utilization: multi-year disease patterns in Taiwan's national health insurance program. Med Care 49:918-923. <http://www.ncbi.nlm.nih.gov/pubmed/21577165>.

39. Chang HY, Lee WC, Weiner JP. (2010) Comparison of alternative risk adjustment measures for predictive modeling: high risk patient case finding using Taiwan's National Health Insurance claims. *BMC Health Serv Res* 10:343. <http://www.ncbi.nlm.nih.gov/pubmed/21172009>.
40. Chang HY, Weiner JP. (2010) An in-depth assessment of a diagnosis-based risk adjustment model based on national health insurance claims: the application of the Johns Hopkins Adjusted Clinical Group case-mix system in Taiwan. *BMC Med* 8:7. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2830174>.
41. Chang RE, Lai CL. (2005) Use of diagnosis-based risk adjustment models to predict individual health care expenditure under the National Health Insurance system in Taiwan. *J Formos Med Assoc* 104:883-890. <http://www.ncbi.nlm.nih.gov/pubmed/16607444>.
42. Chang RE, Lin W, Hsieh CJ, Chiang TL. (2002) Healthcare utilization patterns and risk adjustment under Taiwan's National Health Insurance system. *J Formos Med Assoc* 101:52-59. <http://www.ncbi.nlm.nih.gov/pubmed/11911039>.
43. Chase D. (2011) Patients gain information and skills to improve self-management through innovative tools. *Quality Matters* December 2010/January 2011.
44. Chochinov HM, Martens PJ, Prior HJ, Fransoo R, Burland E, Need To Know Team. (2009) Does a diagnosis of schizophrenia reduce rates of mammography screening? A Manitoba population-based study. *Schizophr Res* 113:95-100. <http://www.ncbi.nlm.nih.gov/pubmed/19427766>.
45. Clark DO, Von Korff M, Saunders K, Baluch WM, Simon GE. (1995) A chronic disease score with empirically derived weights. *Med Care* 33:783-795. <http://www.ncbi.nlm.nih.gov/pubmed/7637401>.
46. Conrad D, Fishman P, Grembowski D, Ralston J, Reid R, Martin D, Larson E, Anderson M. (2008) Access intervention in an integrated, prepaid group practice: effects on primary care physician productivity. *Health Serv Res* 43:1888-1905. <http://www.ncbi.nlm.nih.gov/pubmed/18662171>.
47. Conrad DA, Maynard C, Cheadle A, Ramsey S, Marcus-Smith M, Kirz H, Madden CA, Martin D, Perrin EB, Wickizer T, Zierler B, Ross A, Noren J, Liang SY. (1998) Primary care physician compensation method in medical groups: does it influence the use and cost of health services for enrollees in managed care organizations? *JAMA* 279:853-858. <http://www.ncbi.nlm.nih.gov/pubmed/9516000>.
48. Cooke AL, Metge C, Lix L, Prior HJ, Leslie WD. (2008) Tamoxifen use and osteoporotic fracture risk: a population-based analysis. *J Clin Oncol* 26:5227-5232. <http://www.ncbi.nlm.nih.gov/pubmed/18838712>.
49. Crampton P, Davis P, Lay-Yee R, Raymont A, Forrest C, Starfield B. (2004) Comparison of private for-profit with private community-governed not-for-profit primary care services in New Zealand. *J Health Serv Res Policy* 9 Suppl 2:17-22. <http://www.ncbi.nlm.nih.gov/pubmed/15511321>.
50. Crampton P, Davis P, Lay-Yee R, Raymont A, Forrest CB, Starfield B. (2005) Does community-governed nonprofit primary care improve access to services? Cross-sectional survey of practice characteristics. *Int J Health Serv* 35:465-478. <http://www.ncbi.nlm.nih.gov/pubmed/16119570>.

51. Crosson FJ. (2004) The changing shape of the physician workforce in prepaid group practice. *Health Aff* W4:60-63. <http://www.ncbi.nlm.nih.gov/pubmed/15451975>.
52. Demeter S, Leslie WD, Lix L, MacWilliam L, Finlayson GS, Reed M. (2007) The effect of socioeconomic status on bone density testing in a public health-care system. *Osteoporos Int* 18:153-158. <http://www.ncbi.nlm.nih.gov/pubmed/17019518>.
53. Demeter S, Reed M, Lix L, MacWilliam L, Leslie WD. (2005) Socioeconomic status and the utilization of diagnostic imaging in an urban setting. *CMAJ* 173:1173-1177. <http://www.ncbi.nlm.nih.gov/pubmed/16275968>.
54. Diamond LH. (2000) Provider profiling: doing it right. *Healthplan* 41:74-75, 78-82. <http://www.ncbi.nlm.nih.gov/pubmed/11066253>.
55. Diehr P, Yanez D, Ash A, Hornbrook M, Lin DY. (1999) Methods for analyzing health care utilization and costs. *Annu Rev Public Health* 20:125-144. <http://www.ncbi.nlm.nih.gov/pubmed/10352853>.
56. Dowd B, McGrail M, Lohman WH, Sheasby B, O'Connor H, Calasanz M, Gorman R, Parente S. (2010) The economic impact of a disability prevention program. *J Occup Environ Med* 52:15-21. <http://www.ncbi.nlm.nih.gov/pubmed/20042885>.
57. Downey L, Tyree PT, Lafferty WE. (2009) Preventive screening of women who use complementary and alternative medicine providers. *J Womens Health* 18:1133-1143. <http://www.ncbi.nlm.nih.gov/pubmed/19630554>.
58. Duckett SJ, Agius PA. (2002) Performance of diagnosis-based risk adjustment measures in a population of sick Australians. *Aust N Z J Public Health* 26:500-507. <http://www.ncbi.nlm.nih.gov/pubmed/12530791>.
59. Dunn DL, Rosenblatt A, Taira DA, Latimer E, Bertko J, Stoiber T, Braun P, Busch S. (1995) *A Comparative Analysis of Methods of Health Risk Assessment: Final Report*. Cambridge, MA: Harvard University School of Public Health.
60. Eberly T, Davidoff A, Miller C. (2010) Managing the gap: evaluating the impact of Medicaid managed care on preventive care receipt by child and adolescent minority populations. *J Health Care Poor Underserved* 21:92-111. <http://www.ncbi.nlm.nih.gov/pubmed/20173258>.
61. Ellis RP. (2001) Formal risk adjustment by private employers. *Inquiry* 38:299-309. <http://www.ncbi.nlm.nih.gov/pubmed/11761357>.
62. Engstrom SG, Carlsson L, Ostgren CJ, Nilsson GH, Borgquist LA. (2006) The importance of comorbidity in analysing patient costs in Swedish primary care. *BMC Public Health* 6:36. <http://www.ncbi.nlm.nih.gov/pubmed/16483369>.
63. Ettner SL, Frank RG, McGuire TG, Hermann RC. (2001) Risk adjustment alternatives in paying for behavioral health care under Medicaid. *Health Serv Res* 36:793-811. <http://www.ncbi.nlm.nih.gov/pubmed/11508640>.
64. Ettner SL, Johnson S. (2003) Do adjusted clinical groups eliminate incentives for HMOs to avoid substance abusers? Evidence from the Maryland Medicaid HealthChoice program. *J Behav Health Serv Res* 30:63-77. <http://www.ncbi.nlm.nih.gov/pubmed/12633004>.
65. Evans-Lacko SE, Dosreis S, Kastelic EA, Paula CS, Steinwachs DM. (2010) Evaluation of guideline-concordant care for bipolar disorder among privately insured youth. *Prim*

- Care Companion J Clin Psychiatry 12:PCC.09m00837.
<http://www.ncbi.nlm.nih.gov/pubmed/20944774>.
66. Fagerstrom C, Hellstrom A. (2011) Sleep complaints and their association with comorbidity and health-related quality of life in an older population in Sweden. Aging Ment Health 15:204-213. <http://www.ncbi.nlm.nih.gov/pubmed/21140301>.
67. Fakhraei SH, Kaelin JJ, Conviser R. (2001) Comorbidity-based payment methodology for Medicaid enrollees with HIV/AIDS. Health Care Financ Rev 23:53-68.
<http://www.ncbi.nlm.nih.gov/pubmed/12500338>.
68. Falik M, Needleman J, Wells BL, Korb J. (2001) Ambulatory care sensitive hospitalizations and emergency visits: experiences of Medicaid patients using federally qualified health centers. Med Care 39:551-561.
<http://www.ncbi.nlm.nih.gov/pubmed/11404640>.
69. Ferris TG, Wasserman RC. (2003) Primary care and specialty care for US children: what is the right mix? Arch Pediatr Adolesc Med 157:219-220.
<http://www.ncbi.nlm.nih.gov/pubmed/12622667>.
70. Fick DM, Maclean JR, Rodriguez NA, Short L, Heuvel RV, Waller JL, Rogers RL. (2004) A randomized study to decrease the use of potentially inappropriate medications among community-dwelling older adults in a southeastern managed care organization. Am J Manag Care 10:761-768. <http://www.ncbi.nlm.nih.gov/pubmed/15623266>.
71. Finlayson G, Ekuma O, Yogendran M, Burland E, Forget E. (2010) The Additional Cost of Chronic Disease in Manitoba. Winnipeg, MB: Manitoba Centre for Health Policy.
72. Finlayson GS, Forget E, Okechukwu E, Derksen S, Bond R, Martens P, De Coster C. (2007) Allocating Funds for Healthcare in Manitoba Regional Health Authorities: A First Step - Population-Based Funding. Winnipeg, MB: Manitoba Centre for Health Policy.
73. Fishman PA, Bonomi AE, Anderson ML, Reid RJ, Rivara FP. (2010) Changes in health care costs over time following the cessation of intimate partner violence. J Gen Intern Med 25:920-925. <http://www.ncbi.nlm.nih.gov/pubmed/20414736>.
74. Fishman PA, Shay DK. (1999) Development and estimation of a pediatric chronic disease score using automated pharmacy data. Med Care 37:874-883.
<http://www.ncbi.nlm.nih.gov/pubmed/10493466>.
75. FitzHenry F, Shultz EK. (2000) Health-risk-assessment tools used to predict costs in defined populations. J Healthc Inf Manag 14:31-57.
<http://www.ncbi.nlm.nih.gov/pubmed/11066647>.
76. Foldes S. (1998) Managed care holds down costs, doesn't hurt quality. Minneapolis Star Tribune, January 3:A13.
77. Forrest CB, Kinder K, Lemke KW, Reid RJ. (2004) Adjusted Clinical Group - ein Instrument zur Prognose des Ressourcenverbrauchs: Ein bevölkerungsbezogenes Werkzeug der Gesundheitsfürsorgeverwaltung. Gesundheits- und Sozialpolitik 1-2:8-15 (in German).
78. Forrest CB, Lemke KW, Bodycombe DP, Weiner JP. (2009) Medication, diagnostic, and cost information as predictors of high-risk patients in need of care management. Am J Manag Care 15:41-48. <http://www.ncbi.nlm.nih.gov/pubmed/19146363>.

The Johns Hopkins ACG® System Bibliography

as of January 24, 2012



79. Forrest CB, Majeed A, Weiner JP, Carroll K, Bindman AB. (2003) Referral of children to specialists in the United States and the United Kingdom. *Arch Pediatr Adolesc Med* 157:279-285. <http://www.ncbi.nlm.nih.gov/pubmed/12622678>.
80. Forrest CB, Majeed A, Weiner JP, Carroll K, Bindman AB. (2002) Comparison of specialty referral rates in the United Kingdom and the United States: retrospective cohort analysis. *BMJ* 325:370-371. <http://www.ncbi.nlm.nih.gov/pubmed/12183310>.
81. Forrest CB, Reid RJ. (2001) Prevalence of health problems and primary care physicians' specialty referral decisions. *J Fam Pract* 50:427-432. <http://www.ncbi.nlm.nih.gov/pubmed/11350708>.
82. Forrest CB, Weiner JP, Fowles J, Vogeli C, Frick KD, Lemke KW, Starfield B. (2001) Self-referral in point-of-service health plans. *JAMA* 285:2223-2231. <http://www.ncbi.nlm.nih.gov/pubmed/11325324>.
83. Forrest CB, Whelan EM. (2000) Primary care safety-net delivery sites in the United States: A comparison of community health centers, hospital outpatient departments, and physicians' offices. *JAMA* 284:2077-2083. <http://www.ncbi.nlm.nih.gov/pubmed/11042756>.
84. Fowler EJ, Anderson GF. (1996) Capitation adjustment for pediatric populations. *Pediatrics* 98:10-17. <http://www.ncbi.nlm.nih.gov/pubmed/8668377>.
85. Fowles JB, Weiner JP, Knutson D, Fowler E, Tucker AM, Ireland M. (1996) Taking health status into account when setting capitation rates: a comparison of risk-adjustment methods. *JAMA* 276:1316-1321. <http://www.ncbi.nlm.nih.gov/pubmed/8861990>.
86. Franks P, Fiscella K. (2002) Effect of patient socioeconomic status on physician profiles for prevention, disease management, and diagnostic testing costs. *Med Care* 40:717-724. <http://www.ncbi.nlm.nih.gov/pubmed/12187185>.
87. Franks P, Fiscella K, Beckett L, Zwanziger J, Mooney C, Gorthy S. (2003) Effects of patient and physician practice socioeconomic status on the health care of privately insured managed care patients. *Med Care* 41:842-852. <http://www.ncbi.nlm.nih.gov/pubmed/12835608>.
88. Fransoo R, Martens P, Need To Know Team, Burland E, Prior H, Burchill C, Chateau D, Walid R. (2009) Sex Differences in Health Status, Health Care Use and Quality of Care: A Population-Based Analysis for Manitoba's Regional Health Authorities. Winnipeg, MB: Manitoba Centre for Health Policy.
89. Fransoo RR, Martens PJ, Need to Know Team, Prior HJ, Burland E, Chateau D, Katz A. (2010) Age difference explains gender difference in cardiac intervention rates after acute myocardial infarction. *Healthc Policy* 6:88-103. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2929899>.
90. Fransoo RR, Roos NP, Martens PJ, Heaman M, Levin B, Chateau D. (2008) How health status affects progress and performance in school: a population-based study. *Can J Public Health* 99:344-349. <http://www.ncbi.nlm.nih.gov/pubmed/18767284>.
91. Fye WB. (2004) Cardiology workforce: a shortage, not a surplus. *Health Aff* W4:64-66. <http://www.ncbi.nlm.nih.gov/pubmed/15451974>.

92. Gifford GA, Edwards KR. (2005) Health-based capitation risk adjustment in Minnesota public health care programs. *Health Care Financ Rev* 26:21-41. http://www.acg.jhsph.edu/Newsletters/Volume10_2/04winterpg21.pdf.
93. Glazier RH, Agha MM, Moineddin R, Sibley LM. (2009) Universal health insurance and equity in primary care and specialist office visits: a population-based study. *Ann Fam Med* 7:396-405. <http://www.ncbi.nlm.nih.gov/pubmed/19752467>.
94. Glazier RH, Klein-Geltink J, Kopp A, Sibley LM. (2009) Capitation and enhanced fee-for-service models for primary care reform: a population-based evaluation. *CMAJ* 180:E72-E81. <http://www.ncbi.nlm.nih.gov/pubmed/19468106>.
95. Glazier RH, Moineddin R, Agha MM, Zagorski B, Hall R, Manuel DG, Sibley LM, Kopp A. (2008) The Impact of Not Having a Primary Care Physician among People with Chronic Conditions. Toronto, ON: Institute for Clinical Evaluative Sciences.
96. Gonzalez LM, Benigeri M, Bluteau JP, Provencher P. (2008) The Use of Drugs in Montrealers Aged 65 Years and Older in 2005-2006. Montreal, QC: Agency for Health and Social Services of Montreal (in French; also English translation).
97. Gonzalez LM, Bluteau JP. (2010) Morbidity, Service Utilization and Health Spending in Montrealers Aged 65 and Older in 2005-2006: An Application of the Johns Hopkins "Adjusted Clinical Group" System. Montreal, QC: Agency for Health and Social Services of Montreal (in French; also English translation).
98. Goodman DC. (2004) Do we need more physicians? *Health Aff* W4:67-69. <http://www.ncbi.nlm.nih.gov/pubmed/15451973>.
99. Green BB, Anderson ML, Ralston JD, Catz S, Fishman PA, Cook AJ. (2011) Patient ability and willingness to participate in a web-based intervention to improve hypertension control. *J Med Internet Res* 13:e1. <http://www.ncbi.nlm.nih.gov/pubmed/21371993>.
100. Greene BR, Barlow J, Newman C. (1996) Ambulatory care groups and the profiling of primary care physician resource use: examining the application of case mix adjustments. *J Ambul Care Manage* 19:86-89. <http://www.ncbi.nlm.nih.gov/pubmed/10154372>.
101. Hall JP, Moore JM. (2008) Does high-risk pool coverage meet the needs of people at risk for disability? *Inquiry* 45:340-352. <http://www.ncbi.nlm.nih.gov/pubmed/19069014>.
102. Halling A, Fridh G, Ovhed I. (2006) Validating the Johns Hopkins ACG Case-Mix System of the elderly in Swedish primary health care. *BMC Public Health* 6:171. <http://www.ncbi.nlm.nih.gov/pubmed/16805909>.
103. Hallock J, Kobrinski E, Mansfield C. (1995) Forecasting physician workforce requirements. *JAMA* 273:111; author reply 113. <http://www.ncbi.nlm.nih.gov/pubmed/7865005>.
104. Hanley GE, Morgan S, Reid RJ. (2010) Explaining prescription drug use and expenditures using the adjusted clinical groups case-mix system in the population of British Columbia, Canada. *Med Care* 48:402-408. <http://www.ncbi.nlm.nih.gov/pubmed/20393369>.
105. Harris LT, Haneuse SJ, Martin DP, Ralston JD. (2009) Diabetes quality of care and outpatient utilization associated with electronic patient-provider messaging: a cross-sectional analysis. *Diabetes Care* 32:1182-1187. <http://www.ncbi.nlm.nih.gov/pubmed/19366959>.

106. Harry N. (1997) Hopkins health pricing tool a managed care hit. *Baltimore Business Journal* 15.
107. Hoch I, Heymann AD, Karpati T, Valinsky L. (2010) Validation and uses of the ACG-DX predictive modeling and risk adjustment tool in an Israeli HMO. *Clin Med Res* 8:51-52. <http://www.clinmedres.org/content/8/1/51.3.full.pdf+html>.
108. Holahan J, Rangarajan S, Schirmer M. (1999) Medicaid managed care payment rates in 1998. *Health Aff* 18:217-227. <http://www.ncbi.nlm.nih.gov/pubmed/10388218>.
109. Hollander MJ, Kadlec H, Hamdi R, Tessaro A. (2009) Increasing value for money in the Canadian healthcare system: new findings on the contribution of primary care services. *Healthc Q* 12:32-44. <http://www.ncbi.nlm.nih.gov/pubmed/20057228>.
110. Jackson JE, Doescher MP, Saver BG, Fishman P. (2004) Prescription drug coverage, health, and medication acquisition among seniors with one or more chronic conditions. *Med Care* 42:1056-1065. <http://www.ncbi.nlm.nih.gov/pubmed/15586832>.
111. Jette N, Lix LM, Metge CJ, Prior HJ, McChesney J, Leslie WD. (2011) Association of antiepileptic drugs with nontraumatic fractures: a population-based analysis. *Arch Neurol* 68:107-112. <http://www.ncbi.nlm.nih.gov/pubmed/21220681>.
112. Johnson ML, El-Serag HB, Tran TT, Hartman C, Richardson P, Abraham NS. (2006) Adapting the Rx-Risk-V for mortality prediction in outpatient populations. *Med Care* 44:793-797. <http://www.ncbi.nlm.nih.gov/pubmed/16862043>.
113. Juncosa S, Bolibar B. (1997) A patient classification system for our primary care: the ambulatory care groups (ACGs). *Gac Sanit* 11:83-94 (in Spanish). <http://www.ncbi.nlm.nih.gov/pubmed/9378577>.
114. Juncosa S, Bonaventura B, Roset M, Tomas R. (1999) Description, Behavior, Use and Methodology Used to Measure Case Mix in Our Primary Health Care System: the Ambulatory Care Groups (ACGs). Barcelona, Spain: Fundacio Salut, Empresa i Economia (in Spanish).
115. Juncosa S, Bonaventura B, Roset M, Tomas R. (1999) Performance of an ambulatory case-mix measurement in primary care in Spain: ambulatory care groups (ACGs). *Eur J Public Health* 9:27-35. <http://eurpub.oxfordjournals.org/content/9/1/27.full.pdf>.
116. Juncosa S, Carrillo E, Bolibar B, Prados A, Gervas J. (1996) Classification systems in case-mix groups in ambulatory care. Perspectives for our primary health care. *Aten Primaria* 17:76-82 (in Spanish). <http://www.ncbi.nlm.nih.gov/pubmed/8742149>.
117. Kinder Siemens K, Gurol-Urganci I, Atun R, Weiner J. (2007) Evaluating case-mix and predictive modeling measures within the British primary care sector. *BMC Health Serv Res* 7:A8. <http://www.biomedcentral.com/1472-6963/7/S1/A8>.
118. Kiyu A, Lee PFS, Kinder K, Ong F, Bakar NBA. (2010) Determining the morbidity profile, health-service utilization and health-provider efficiency in the Rejang River Basin, Sarawak, based on TPC® data and the Johns Hopkins ACG® System. *BMC Health Serv Res* 10:A8. <http://www.biomedcentral.com/1472-6963/10/S2/A8>.
119. Klabunde CN, Warren JL, Legler JM. (2002) Assessing comorbidity using claims data: an overview. *Med Care* 40:IV-26-IV-35. <http://www.ncbi.nlm.nih.gov/pubmed/12187165>.
120. Klein S, McCarthy D. (2010) CareOregon: Transforming the Role of a Medicaid Health Plan from Payer to Partner. New York, NY: Commonwealth Fund.

- <http://www.commonwealthfund.org/Content/Publications/Case-Studies/2010/Jul/CareOregon.aspx>.
121. Knutson D. (1998) Case study: the Minneapolis Buyers Health Care Action Group. *Inquiry* 35:171-177. <http://www.ncbi.nlm.nih.gov/pubmed/9719785>.
 122. Kuhlthau K, Ferris TG, Beal AC, Gortmaker SL, Perrin JM. (2001) Who cares for Medicaid-enrolled children with chronic conditions? *Pediatrics* 108:906-912. <http://www.ncbi.nlm.nih.gov/pubmed/11581443>.
 123. Kuhlthau K, Ferris TG, Davis RB, Perrin JM, Iezzoni LI. (2005) Pharmacy- and diagnosis-based risk adjustment for children with Medicaid. *Med Care* 43:1155-1159. <http://www.ncbi.nlm.nih.gov/pubmed/16224310>.
 124. Kuo RN, Lai MS. (2010) Comparison of Rx-defined morbidity groups and diagnosis-based risk adjusters for predicting healthcare costs in Taiwan. *BMC Health Serv Res* 10:126. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2885387>.
 125. Lafferty WE, Tyree PT, Bellas AS, Watts CA, Lind BK, Sherman KJ, Cherkin DC, Grembowski DE. (2006) Insurance coverage and subsequent utilization of complementary and alternative medicine providers. *Am J Manag Care* 12:397-404. <http://www.ncbi.nlm.nih.gov/pubmed/16834526>.
 126. Lafferty WE, Tyree PT, Devlin SM, Andersen MR, Diehr PK. (2008) Complementary and alternative medicine provider use and expenditures by cancer treatment phase. *Am J Manag Care* 14:326-334. <http://www.ncbi.nlm.nih.gov/pubmed/18471036>.
 127. Lawthers AG, Palmer RH, Banks N, Garnick DW, Fowles J, Weiner JP. (1995) Designing and using measures of quality based on physician office records. *J Ambul Care Manage* 18:56-72. <http://www.ncbi.nlm.nih.gov/pubmed/10139347>.
 128. Lawthers AG, Palmer RH, Edwards JE, Fowles J, Garnick DW, Weiner JP. (1993) Developing and evaluating performance measures for ambulatory care quality: a preliminary report of the DEMPAQ project. *Jt Comm J Qual Improv* 19:552-565. <http://www.ncbi.nlm.nih.gov/pubmed/8118524>.
 129. Lee WC. (2010) ACG Use In Veterans Administration in Taiwan: Final Report. Taipei, Taiwan: Veterans General Hospital Taipei (in Chinese).
 130. Lee WC. (2008) Quantifying morbidities by Adjusted Clinical Group system for a Taiwan population: a nationwide analysis. *BMC Health Serv Res* 8:153. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2492856>.
 131. Lee WC, et al. (2007) Using the ACG case-mix adjustment system to evaluate veteran's morbidity burdens and medical utilizations in Taiwan. *J Healthc Manag* 8:67-84 (in Chinese).
 132. Lee WC, Huang TP. (2008) Explanatory ability of the ACG system regarding the utilization and expenditure of the national health insurance population in Taiwan--a 5-year analysis. *J Chin Med Assoc* 71:191-199. <http://www.ncbi.nlm.nih.gov/pubmed/18436502>.
 133. Lehnert T, Heider D, Leicht H, Heinrich S, Corrieri S, Lupp M, Riedel-Heller S, Konig HH. (2011) Review: health care utilization and costs of elderly persons with multiple chronic conditions. *Med Care Res Rev* 68:387-420. <http://www.ncbi.nlm.nih.gov/pubmed/21813576>.

134. Leibson CL, Katusic SK, Barbaresi WJ, Ransom J, O'Brien PC. (2001) Use and costs of medical care for children and adolescents with and without attention-deficit/hyperactivity disorder. *JAMA* 285:60-66. <http://www.ncbi.nlm.nih.gov/pubmed/11150110>.
135. Lemke KW, Weiner JP, Clark JM. (2012) Development and validation of a model for predicting inpatient hospitalization. *Med Care* 50:131-9. <http://www.ncbi.nlm.nih.gov/pubmed/22002640>.
136. Leslie WD, Derksen S, Prior HJ, Lix LM, Metge C, O'Neil J. (2006) The interaction of ethnicity and chronic disease as risk factors for osteoporotic fractures: a comparison in Canadian Aboriginals and non-Aboriginals. *Osteoporos Int* 17:1358-1368. <http://www.ncbi.nlm.nih.gov/pubmed/16770522>.
137. Leslie WD, Lix LM, Manitoba Bone Density Program. (2010) Imputation of 10-year osteoporotic fracture rates from hip fractures: a clinical validation study. *J Bone Miner Res* 25:388-392. <http://www.ncbi.nlm.nih.gov/pubmed/19653809>.
138. Leslie WD, Lix LM, Prior HJ, Derksen S, Metge C, O'Neil J. (2007) Biphasic fracture risk in diabetes: a population-based study. *Bone* 40:1595-1601. <http://www.ncbi.nlm.nih.gov/pubmed/17392047>.
139. Leslie WD, Ludwig SM, Morin S. (2010) Abdominal fat from spine dual-energy x-ray absorptiometry and risk for subsequent diabetes. *J Clin Endocrinol Metab* 95:3272-3276. <http://www.ncbi.nlm.nih.gov/pubmed/20392865>.
140. Leslie WD, Tsang JF, Caetano PA, Lix LM, Manitoba Bone Density Program. (2007) Effectiveness of bone density measurement for predicting osteoporotic fractures in clinical practice. *J Clin Endocrinol Metab* 92:77-81. <http://www.ncbi.nlm.nih.gov/pubmed/17032716>.
141. Lin W, Chang RE, Hsieh CJ, Yang CL, Chiang TL. (2003) Development of a risk-adjusted capitation model based on principal inpatient diagnoses in Taiwan. *J Formos Med Assoc* 102:637-643. <http://www.ncbi.nlm.nih.gov/pubmed/14625609>.
142. Lind BK, Abrams C, Lafferty WE, Diehr PK, Grembowski DE. (2006) The effect of complementary and alternative medicine claims on risk adjustment. *Med Care* 44:1078-1084. <http://www.ncbi.nlm.nih.gov/pubmed/17122711>.
143. Lind BK, Lafferty WE, Tyree PT, Diehr PK, Grembowski DE. (2007) Use of complementary and alternative medicine providers by fibromyalgia patients under insurance coverage. *Arthritis Rheum* 57:71-76. <http://www.ncbi.nlm.nih.gov/pubmed/17266066>.
144. Liu CF, Sales AE, Sharp ND, Fishman P, Sloan KL, Todd-Stenberg J, Nichol WP, Rosen AK, Loveland S. (2003) Case-mix adjusting performance measures in a veteran population: pharmacy- and diagnosis-based approaches. *Health Serv Res* 38:1319-1337. <http://www.ncbi.nlm.nih.gov/pubmed/14596393>.
145. Lix LM, Yogendran MS, Leslie WD, Shaw SY, Baumgartner R, Bowman C, Metge C, Gumel A, Hux J, James RC. (2008) Using multiple data features improved the validity of osteoporosis case ascertainment from administrative databases. *J Clin Epidemiol* 61:1250-1260. <http://www.ncbi.nlm.nih.gov/pubmed/18619800>.
146. Maciejewski ML, Liu CF, Derleth A, McDonnell M, Anderson S, Fihn SD. (2005) The performance of administrative and self-reported measures for risk adjustment of Veterans

- Affairs expenditures. *Health Serv Res* 40:887-904.
<http://www.ncbi.nlm.nih.gov/pubmed/15960696>.
147. Madden CW, Mackay BP, Skillman SM. (2001) Measuring Health Status for Risk Adjusting Capitation Payments. Hamilton, NJ: Center for Health Care Strategies.
148. Madden CW, Mackay BP, Skillman SM, Ciol M, Diehr PK. (2000) Risk adjusting capitation: applications in employed and disabled populations. *Health Care Manag Sci* 3:101-109. <http://www.ncbi.nlm.nih.gov/pubmed/10780278>.
149. Madden CW, Skillman SM, Mackay BP. (1999) Risk Distribution and Risk Assessment among Enrollees in Washington State's Medicaid SSI Population. Hamilton, NJ: Center for Health Care Strategies.
150. Madden CW, Stanley M, Skillman SM, Blough DK, Mackay B, Wilson V, et al. (1998) Implementing a Model for Risk Distribution Among Competing Health Plans. Final Report. Princeton, NJ: Robert Wood Johnson Foundation.
151. Majeed A, Bindman AB, Weiner JP. (2001) Use of risk adjustment in setting budgets and measuring performance in primary care I: how it works. *BMJ* 323:604-607.
<http://www.ncbi.nlm.nih.gov/pubmed/11557709>.
152. Majeed A, Bindman AB, Weiner JP. (2001) Use of risk adjustment in setting budgets and measuring performance in primary care II: advantages, disadvantages, and practicalities. *BMJ* 323:607-610. <http://www.ncbi.nlm.nih.gov/pubmed/11557710>.
153. Mark TL, Ozminkowski RJ, Kirk A, Ettner SL, Drabek J. (2003) Risk adjustment for people with chronic conditions in private sector health plans. *Med Decis Making* 23:397-405. <http://www.ncbi.nlm.nih.gov/pubmed/14570297>.
154. Martens P, Fransoo R, Need To Know Team, Burland E, Prior H, Burchill C, Chateau D, Romphf L, Bailly A, Oulette C. (2009) What Works? A First Look at Evaluating Manitoba's Regional Health Programs and Policies at the Population Level. Winnipeg, MB: Manitoba Centre for Health Policy.
155. Martens PJ, Burchill C, Fransoo R, De Coster C, McKeen N, Ekuma O, Need to Know Team, Prior H, Chateau D, Burland E, Robinson R, Jebamani L, Metge C. (2004) Patterns of Regional Mental Illness Disorder Diagnoses and Service Use in Manitoba: A Population-Based Study. Winnipeg, MB: Manitoba Centre for Health Policy.
156. Martens PJ, Chochinov HM, Prior HJ, Fransoo R, Burland E, Need To Know Team. (2009) Are cervical cancer screening rates different for women with schizophrenia? A Manitoba population-based study. *Schizophr Res* 113:101-106.
<http://www.ncbi.nlm.nih.gov/pubmed/19419843>.
157. Maryland Health Care Commission by the Project HOPE Center for Health Affairs. (2001) Characteristics of Maryland Residents Who Obtain Health Insurance from the Small and Large Group Markets. Bethesda, MD: Project Hope Center for Health Affairs.
158. Massachusetts Rate Setting Commission. (1996) Evaluation of Case-Mix Adjustments Methods for the Massachusetts Division of Medical Assistance. Final Report and Recommendation. Boston, MA: Massachusetts Rate Setting Commission.
159. McCall DT, Sauaia A, Hamman RF, Reusch JE, Barton P. (2004) Are low-income elderly patients at risk for poor diabetes care? *Diabetes Care* 27:1060-1065.
<http://www.ncbi.nlm.nih.gov/pubmed/15111521>.

The Johns Hopkins ACG® System Bibliography

as of January 24, 2012



160. McCracken SB. (1996) Health information services technologies. *J Ambul Care Manage* 19:90-97. <http://www.ncbi.nlm.nih.gov/pubmed/10154373>.
161. Medical College of Virginia Associated Physicians, Mathematica Policy Research. (1999) Minimal-Burden Risk Adjusters for the Medicare Risk Program. Report prepared for the Health Care Financing Review (HCFA Contract No. 17C-90366/3/01). Washington, DC: Mathematica Policy Research.
162. Meenan RT, Goodman MJ, Fishman PA, Hornbrook MC, O'Keeffe-Rosetti MC, Bachman DJ. (2003) Using risk-adjustment models to identify high-cost risks. *Med Care* 41:1301-1312. <http://www.ncbi.nlm.nih.gov/pubmed/14583693>.
163. Mitchell RN. (2006) Editorial: Managing Costs with Software. *Advance for Health Information Executives* .
164. Moore HW, Johnson S, Mussman M, O'Brien J. (2001) Risk Adjustment for Asthma: Variations by Methodology and Implications for Providers. Working Paper: Informed Purchasing Series. Hamilton, NJ: Center for Health Care Strategies.
165. Morgan PA, Shah ND, Kaufman JS, Albanese MA. (2008) Impact of physician assistant care on office visit resource use in the United States. *Health Serv Res* 43:1906-1922. <http://www.ncbi.nlm.nih.gov/pubmed/18665857>.
166. Morin S, Lix LM, Azimae M, Metge C, Caetano P, Leslie WD. (2011) Mortality rates after incident non-traumatic fractures in older men and women. *Osteoporos Int* 22:2439-2448. <http://www.ncbi.nlm.nih.gov/pubmed/21161507>.
167. Mosendane T, Persadh AS, Jabaar R, Ruff B. (2010) Utilization of clinical tools to understand health-care differences of the Discovery Health population. *BMC Health Serv Res* 10:A18. <http://www.biomedcentral.com/1472-6963/10/S2/A18>.
168. Moynihan R. (2004) Using Health Research in Policy and Practice: Case Studies from Nine Countries. New York, NY: Academy Health/Milbank Memorial Fund.
169. Mullan F. (2004) My dad was not a prepaid group practice patient. *Health Aff* W4:70-72. <http://www.ncbi.nlm.nih.gov/pubmed/15451972>.
170. Murphy SM, Castro HK, Sylvia M. (2011) Predictive modeling in practice: improving the participant identification process for care management programs using condition-specific cut points. *Popul Health Manag* 14:205-210. <http://www.ncbi.nlm.nih.gov/pubmed/21241172>.
171. Naessens JM, Baird MA, Van Houten HK, Vanness DJ, Campbell CR. (2005) Predicting persistently high primary care use. *Ann Fam Med* 3:324-330. <http://www.ncbi.nlm.nih.gov/pubmed/16046565>.
172. Naessens JM, Khan M, Shah ND, Wagie A, Pautz RA, Campbell CR. (2008) Effect of premium, copayments, and health status on the choice of health plans. *Med Care* 46:1033-40.
173. National Health Information LLC. (2004) Use predictive modeling to improve profitability under cap. *Capitation Rates and Data* 9:61-65.
174. No authors listed. (1998) Adjust utilization for case mix and make physicians responsible for remaining variation. *Data Strategy Benchmarks* 2:25-28. <http://www.ncbi.nlm.nih.gov/pubmed/10345360>.

175. Omar RZ, O'Sullivan C, Petersen I, Islam A, Majeed A. (2008) A model based on age, sex, and morbidity to explain variation in UK general practice prescribing: cohort study. *BMJ* 337:a238. <http://www.ncbi.nlm.nih.gov/pubmed/18625598>.
176. Orueta JF, Lopez-De-Munain J, Baez K, Aiarzaguena JM, Aranguren JI, Pedrero E. (1999) Application of the ambulatory care groups in the primary care of a European national health care system: does it work? *Med Care* 37:238-248. <http://www.ncbi.nlm.nih.gov/pubmed/10098568>.
177. Orueta JF, Urraca J, Berraondo I, Darpon J, Aurrekoetxea JJ. (2006) Adjusted Clinical Groups (ACGs) explain the utilization of primary care in Spain based on information registered in the medical records: a cross-sectional study. *Health Policy* 76:38-48. <http://www.ncbi.nlm.nih.gov/pubmed/15946763>.
178. Page L. (1996) Maryland to test new Medicaid managed care pay formula. *Am Med News* .
179. Palsbo SE, Preston BJ. (2001) Implementing risk assessment and risk adjustment for people with disabilities in state programs: six case studies. Washington, DC: NRH Center for Health and Disability Research.
180. Paramore LC, Halpern MT, Lapuerta P, Hurley JS, Frost FJ, Fairchild DG, Bates D. (2001) Impact of poorly controlled hypertension on healthcare resource utilization and cost. *Am J Manag Care* 7:389-398. <http://www.ncbi.nlm.nih.gov/pubmed/11310193>.
181. Parente ST, Kim SS, Finch MD, Schloff LA, Rector TS, Seifeldin R, Haddox JD. (2004) Identifying controlled substance patterns of utilization requiring evaluation using administrative claims data. *Am J Manag Care* 10:783-790. <http://www.ncbi.nlm.nih.gov/pubmed/15623267>.
182. Parente ST, Weiner JP, Garnick DW, Fowles J, Lawthers AG, Palmer RH. (1996) Profiling resource use by primary-care practices: managed Medicare implications. *Health Care Financ Rev* 17:23-42. <http://www.ncbi.nlm.nih.gov/pubmed/10165710>.
183. Parkerson GR, Jr, Harrell FE, Jr, Hammond WE, Wang XQ. (2001) Characteristics of adult primary care patients as predictors of future health services charges. *Med Care* 39:1170-1181. <http://www.ncbi.nlm.nih.gov/pubmed/11606871>.
184. Perera PN, Guy MC, Sweaney AM, Boesen KP. (2011) Evaluation of prescriber responses to pharmacist recommendations communicated by fax in a medication therapy management program (MTMP). *J Manag Care Pharm* 17:345-354. <http://www.ncbi.nlm.nih.gov/pubmed/21657804>.
185. Petersen LA, Pietz K, Woodard LD, Byrne M. (2005) Comparison of the predictive validity of diagnosis-based risk adjusters for clinical outcomes. *Med Care* 43:61-67. <http://www.ncbi.nlm.nih.gov/pubmed/15626935>.
186. Pietz K, Ashton CM, McDonell M, Wray NP. (2004) Predicting healthcare costs in a population of Veterans Affairs beneficiaries using diagnosis-based risk adjustment and self-reported health status. *Med Care* 42:1027-1035. <http://www.ncbi.nlm.nih.gov/pubmed/15377936>.
187. Pietz K, O'Malley KJ, Byrne M, Soucek J, Petersen N, Ashton CM. (2002) Physician-level variation in practice patterns in the VA healthcare system. *Health Serv Outcomes Res Methodology* 3:95-106.

188. Powe NR, Weiner JP, Starfield B, Stuart M, Baker A, Steinwachs DM. (1996) Systemwide provider performance in a Medicaid program. Profiling the care of patients with chronic illnesses. *Med Care* 34:798-810.
<http://www.ncbi.nlm.nih.gov/pubmed/8709661>.
189. Powers CA, Meyer CM, Roebuck MC, Vaziri B. (2005) Predictive modeling of total healthcare costs using pharmacy claims data: a comparison of alternative econometric cost modeling techniques. *Med Care* 43:1065-1072.
<http://www.ncbi.nlm.nih.gov/pubmed/16224298>.
190. Pritchard JM, Giangregorio LM, Ioannidis G, Papaioannou A, Adachi JD, Leslie WD. (2011 - epub May 12 ahead of print) Ankle fractures do not predict osteoporotic fractures in women with or without diabetes. *Osteoporos Int*
:<http://www.ncbi.nlm.nih.gov/pubmed/21562874>.
191. Prosser B, QUILTS Team. (2006) The utility of ACGs and ADGs in the evaluation of the BC Nurseline. Presentation in British Columbia.
192. Prosser R, Carleton B, Smith A. (2010) The comorbidity burden of the treated asthma patient population in British Columbia. *Chronic Dis Can* 30:46-55.
<http://www.ncbi.nlm.nih.gov/pubmed/20302685>.
193. Quan H, Sundararajan V, Halfon P, Fong A, Burnand B, Luthi JC, Saunders LD, Beck CA, Feasby TE, Ghali WA. (2005) Coding algorithms for defining comorbidities in ICD-9-CM and ICD-10 administrative data. *Med Care* 43:1130-1139.
<http://www.ncbi.nlm.nih.gov/pubmed/16224307>.
194. Ralston JD, Carrell D, Reid R, Anderson M, Moran M, Hereford J. (2007) Patient web services integrated with a shared medical record: patient use and satisfaction. *J Am Med Inform Assoc* 14:798-806. <http://www.ncbi.nlm.nih.gov/pubmed/17712090>.
195. Ralston JD, Rutter CM, Carrell D, Hecht J, Rubanowice D, Simon GE. (2009) Patient use of secure electronic messaging within a shared medical record: a cross-sectional study. *J Gen Intern Med* 24:349-355. <http://www.ncbi.nlm.nih.gov/pubmed/19137379>.
196. Ray GT, Croen LA, Habel LA. (2009) Mothers of children diagnosed with attention-deficit/hyperactivity disorder: health conditions and medical care utilization in periods before and after birth of the child. *Med Care* 47:105-114.
<http://www.ncbi.nlm.nih.gov/pubmed/19106738>.
197. Ray GT, Mertens JR, Weisner C. (2009) Family members of people with alcohol or drug dependence: health problems and medical cost compared to family members of people with diabetes and asthma. *Addiction* 104:203-214.
<http://www.ncbi.nlm.nih.gov/pubmed/19149814>.
198. Raymond C, Metge C, Alessi-Severini S, Dahl M, Schultz J, Guenette W. (2010) *Pharmaceutical Use in Manitoba: Opportunities to Optimize Use*. Winnipeg, MB: Manitoba Centre for Health Policy.
199. Reid R, Bogdanovic B, Roos NP, Black C, MacWilliam L, Menec V. (2001) Do Some Physician Groups See Sicker Patients Than Others? Implications for Primary Care Policy in Manitoba. Winnipeg, MB: Manitoba Centre for Health Policy.
200. Reid R, Evans R, Barer M, Sheps S, Kerluke K, McGrail K, Hertzman C, Pagliccia N. (2003) Conspicuous consumption: characterizing high users of physician services in one

- Canadian province. *J Health Serv Res Policy* 8:215-224.
<http://www.ncbi.nlm.nih.gov/pubmed/14596756>.
201. Reid R, MacWilliam L, Roos NP, Bogdanovic B, Black C. (1999) Measuring Morbidity in Populations: Performance of the Johns Hopkins Adjusted Clinical Group (ACG) Case-Mix Adjustment System in Manitoba. Winnipeg, MB: Manitoba Centre for Health Policy.
202. Reid RJ, MacWilliam L, Verhulst L, Roos N, Atkinson M. (2001) Performance of the ACG case-mix system in two Canadian provinces. *Med Care* 39:86-99.
<http://www.ncbi.nlm.nih.gov/pubmed/11176546>.
203. Reid RJ, Roos NP, MacWilliam L, Frohlich N, Black C. (2002) Assessing population health care need using a claims-based ACG morbidity measure: a validation analysis in the province of Manitoba. *Health Serv Res* 37:1345-1364.
<http://www.ncbi.nlm.nih.gov/pubmed/12479500>.
204. Reid RJ, Verhulst L, Forrest CB. (2002) Comparing apples with apples in clinical populations: applications of the Adjusted Clinical Group System in British Columbia. *Healthc Manage Forum* 15:11-16. <http://www.ncbi.nlm.nih.gov/pubmed/12078351>.
205. Rennemark M, Holst G, Fagerstrom C, Halling A. (2009 - epub Jan 8 ahead of print) Factors related to frequent usage of the primary healthcare services in old age: findings from the Swedish National Study on Aging and Care. *Health Soc Care Community* :<http://www.ncbi.nlm.nih.gov/pubmed/19207603>.
206. Reyes-Rodriguez JF, Gonzalez-Casanova S, Perez-Canovas E, Estupinan-Ramírez M, De Leon-Garcia JM. (2010) The knowledge of morbidity in Primary Care as an aid in the planning and management of the services. *Semergen* doi:10.1016/j.semerg.2009.12.003 (in Spanish).
207. Robinson JW, Zeger SL, Forrest CB. (2006) A hierarchical multivariate two-part model for profiling providers' effects on health care changes. *J Am Statistical Assoc* 101:911-923.
208. Rosen AK, Loveland S, Anderson JJ, Rothendler JA, Hankin CS, Rakovski CC, Moskowitz MA, Berlowitz DR. (2001) Evaluating diagnosis-based case-mix measures: how well do they apply to the VA population? *Med Care* 39:692-704.
<http://www.ncbi.nlm.nih.gov/pubmed/11458134>.
209. Rosen AK, Loveland SA, Rakovski CC, Christiansen CL, Berlowitz DR. (2003) Do different case-mix measures affect assessments of provider efficiency? Lessons from the Department of Veterans Affairs. *J Ambul Care Manage* 26:229-242.
<http://www.ncbi.nlm.nih.gov/pubmed/12856502>.
210. Rosen AK, Rakovski CC, Loveland SA, Anderson JJ, Berlowitz DR. (2002) Profiling resource use: do different outcomes affect assessments of provider efficiency? *Am J Manag Care* 8:1105-1115. <http://www.ncbi.nlm.nih.gov/pubmed/12500886>.
211. Rosen AK, Reid R, Broemeling AM, Rakovski CC. (2003) Applying a risk-adjustment framework to primary care: can we improve on existing measures? *Ann Fam Med* 1:44-51. <http://www.ncbi.nlm.nih.gov/pubmed/15043179>.
212. Rosenblatt RA, Baldwin LM, Chan L, Fordyce MA, Hirsch IB, Palmer JP, Wright GE, Hart LG. (2001) Improving the quality of outpatient care for older patients with diabetes: lessons from a comparison of rural and urban communities. *J Fam Pract* 50:676-680.
<http://www.ncbi.nlm.nih.gov/pubmed/11509161>.

213. Saito EP, Davis JW, Harrigan RC, Juarez D, Mau MK. (2010) Copayment level and drug switching: findings for type 2 diabetes. *Am J Pharm Benefits* 2:412-420. http://www3.jabsom.hawaii.edu/native/docs/publications/2010/Copayment_level_and_drug_switching_Am_J_Pharm_12-10.pdf.
214. Salem-Schatz S, Moore G, Rucker M, Pearson SD. (1994) The case for case-mix adjustment in practice profiling. When good apples look bad. *JAMA* 272:871-874. <http://www.ncbi.nlm.nih.gov/pubmed/8078165>.
215. Sales AE, Liu CF, Sloan KL, Malkin J, Fishman PA, Rosen AK, Loveland S, Paul Nichol W, Suzuki NT, Perrin E, Sharp ND, Todd-Stenberg J. (2003) Predicting costs of care using a pharmacy-based measure risk adjustment in a veteran population. *Med Care* 41:753-760. <http://www.ncbi.nlm.nih.gov/pubmed/12773841>.
216. Salisbury C, Johnson L, Purdy S, Valderas JM, Montgomery AA. (2011) Epidemiology and impact of multimorbidity in primary care: a retrospective cohort study. *Br J Gen Pract* 61:e12-e21. <http://www.ncbi.nlm.nih.gov/pubmed/21401985>.
217. Salsberg E, Forte G. (2004) Benefits and pitfalls in applying the experience of prepaid group practices to the U.S. physician supply. *Health Aff* W4:73-75. <http://www.ncbi.nlm.nih.gov/pubmed/15451971>.
218. Schoenbaum SC. (2004) Physicians and prepaid group practices. *Health Aff* W4:76-78. <http://www.ncbi.nlm.nih.gov/pubmed/15451970>.
219. Scholle SH, Bernier J, Starfield B, Powe NR, Weiner JP. (1996) Quality assessment: is the focus on providers or on patients? *Int J Qual Health Care* 8:231-241. <http://www.ncbi.nlm.nih.gov/pubmed/8885187>.
220. Shadmi E, Balicer RD, Kinder K, Abrams C, Weiner JP. (2011) Assessing socioeconomic health care utilization inequity in Israel: impact of alternative approaches to morbidity adjustment. *BMC Public Health* 11:609. <http://www.ncbi.nlm.nih.gov/pubmed/21801459>.
221. Shen Y, Ellis RP. (2002) How profitable is risk selection? A comparison of four risk adjustment models. *Health Econ* 11:165-174. <http://www.ncbi.nlm.nih.gov/pubmed/11921314>.
222. Shen Y, Ellis RP. (2002) Cost-minimizing risk adjustment. *J Health Econ* 21:515-530. <http://www.ncbi.nlm.nih.gov/pubmed/12022271>.
223. Shenkman E, Pendergast J, Wegener DH, Hartzel T, Naff R, Freedman S, Bucciarelli R. (1997) Children's health care use in the Healthy Kids Program. *Pediatrics* 100:947-953. <http://www.ncbi.nlm.nih.gov/pubmed/9374562>.
224. Shenkman EA, Breiner JR. (2001) Characteristics of Risk Adjustment Systems. Working Paper Series 2. Gainesville, FL: Institute for Child Health Policy, University of Florida.
225. Shields AE, Comstock C, Finkelstein JA, Weiss KB. (2003) Comparing asthma care provided to Medicaid-enrolled children in a primary care case manager plan and a staff model HMO. *Ambul Pediatr* 3:253-262. <http://www.ncbi.nlm.nih.gov/pubmed/12974661>.
226. Shields AE, Finkelstein JA, Comstock C, Weiss KB. (2002) Process of care for Medicaid-enrolled children with asthma: served by community health centers and other providers. *Med Care* 40:303-314. <http://www.ncbi.nlm.nih.gov/pubmed/12021686>.

The Johns Hopkins ACG® System Bibliography

as of January 24, 2012



227. Sibley LM, Glazier RH. (2011 - epub Nov 10 ahead of print) Evaluation of the equity of age-sex adjusted primary care capitation payments in Ontario, Canada. Health Policy. <http://www.ncbi.nlm.nih.gov/pubmed/22078665>.
228. Sibley LM, Moineddin R, Agha MM, Glazier RH. (2010) Risk adjustment using administrative data-based and survey-derived methods for explaining physician utilization. Med Care 48:175-182. <http://www.ncbi.nlm.nih.gov/pubmed/19927013>.
229. Simon GE, Ding V, Hubbard R, Fishman P, Ludman E, Morales L, Operskalski B, Savarino J. (2011 - epub Jun 28 ahead of print) Early dropout from psychotherapy for depression with group- and network-model therapists. Adm Policy Ment Health. <http://www.ncbi.nlm.nih.gov/pubmed/21710256>.
230. Simon GE, Ralston JD, Savarino J, Pabiniak C, Wentzel C, Operskalski BH. (2011) Randomized trial of depression follow-up care by online messaging. J Gen Intern Med 26:698-704. <http://www.ncbi.nlm.nih.gov/pubmed/21384219>.
231. Smith NS, Weiner JP. (1994) Applying population-based case mix adjustment in managed care: the Johns Hopkins Ambulatory Care Group system. Manag Care Q 2:21-34. <http://www.ncbi.nlm.nih.gov/pubmed/10136807>.
232. Smith PM, Glazier RH, Sibley LM. (2010) The predictors of self-rated health and the relationship between self-rated health and health service needs are similar across socioeconomic groups in Canada. J Clin Epidemiol 63:412-421. <http://www.ncbi.nlm.nih.gov/pubmed/19926448>.
233. Starfield B, Chang HY, Lemke KW, Weiner JP. (2009) Ambulatory specialist use by nonhospitalized patients in US health plans: correlates and consequences. J Ambul Care Manage 32:216-225. <http://www.ncbi.nlm.nih.gov/pubmed/19542811>.
234. Starfield B, Kinder K. (2011) Multimorbidity and its measurement. Health Policy 103:3-8. <http://www.ncbi.nlm.nih.gov/pubmed/21963153>.
235. Starfield B, Lemke KW, Bernhardt T, Foldes SS, Forrest CB, Weiner JP. (2003) Comorbidity: implications for the importance of primary care in 'case' management. Ann Fam Med 1:8-14. <http://www.ncbi.nlm.nih.gov/pubmed/15043174>.
236. Starfield B, Lemke KW, Herbert R, Pavlovich WD, Anderson G. (2005) Comorbidity and the use of primary care and specialist care in the elderly. Ann Fam Med 3:215-222. <http://www.ncbi.nlm.nih.gov/pubmed/15928224>.
237. Starfield B, Weiner J, Mumford L, Steinwachs D. (1991) Ambulatory care groups: a categorization of diagnoses for research and management. Health Serv Res 26:53-74. <http://www.ncbi.nlm.nih.gov/pubmed/1901841>.
238. Stuart ME, Steinwachs DM. (1993) Patient-mix differences among ambulatory providers and their effects on utilization and payments for Maryland Medicaid users. Med Care 31:1119-1137. <http://www.ncbi.nlm.nih.gov/pubmed/8246641>.
239. Sullivan CO, Omar RZ, Forrest CB, Majeed A. (2004) Adjusting for case mix and social class in examining variation in home visits between practices. Fam Pract 21:355-363. <http://www.ncbi.nlm.nih.gov/pubmed/%2015249522>.
240. Sun JM, Chuang SL, Lee WC. (2010) Using the Adjusted Clinical Groups system to identify high-risk hemodialysis patients in Taiwan. J Healthc Manag 11:311-326 (in Chinese).

The Johns Hopkins ACG® System Bibliography

as of January 24, 2012



241. Sylvia ML, Shadmi E, Hsiao CJ, Boyd CM, Schuster AB, Boulton C. (2006) Clinical features of high-risk older persons identified by predictive modeling. *Dis Manag* 9:56-62. <http://www.ncbi.nlm.nih.gov/pubmed/16466342>.
242. Targownik LE, Lix LM, Leung S, Leslie WD. (2010) Proton-pump inhibitor use is not associated with osteoporosis or accelerated bone mineral density loss. *Gastroenterology* 138:896-904. <http://www.ncbi.nlm.nih.gov/pubmed/19931262>.
243. Targownik LE, Lix LM, Metge CJ, Prior HJ, Leung S, Leslie WD. (2008) Use of proton pump inhibitors and risk of osteoporosis-related fractures. *CMAJ* 179:319-326. <http://www.ncbi.nlm.nih.gov/pubmed/18695179>.
244. Thomas JW, Grazier KL, Ward K. (2004) Comparing accuracy of risk-adjustment methodologies used in economic profiling of physicians. *Inquiry* 41:218-231. <http://www.ncbi.nlm.nih.gov/pubmed/15449435>.
245. Tsai WD, Lo J. (2000) Capitation payment systems - risk factor estimation. *Academia Economic Papers* 28:231-261 (in Chinese).
246. Tucker AM, Weiner JP, Abrams C. (2002) Health-based risk adjustment: application to premium development and profiling. In: Wrightson CW, eds. *Financial Strategy for Managed Care Organizations: Rate Setting, Risk Adjustment, and Competitive Advantage*. Ann Arbor, MI: Health Administration Press:165-225.
247. Tucker AM, Weiner JP, Honigfeld S, Parton RA. (1996) Profiling primary care physician resource use: examining the application of case mix adjustment. *J Ambul Care Manage* 19:60-80. <http://www.ncbi.nlm.nih.gov/pubmed/10154370>.
248. Valderas JM, Starfield B, Forrest CB, Sibbald B, Roland M. (2009) Ambulatory care provided by office-based specialists in the United States. *Ann Fam Med* 7:104-111. <http://www.ncbi.nlm.nih.gov/pubmed/19273864>.
249. Verhulst L, Reid RJ, Forrest CB. (2001) Hold it – my patients are sicker! The importance of case mix adjustment to practitioner profiles in British Columbia. *British Columbia Med J* 43:328-333. <http://www.bcmj.org/premise/hold-it%E2%80%94my-patients-are-sicker>.
250. Vivas D, Guadalajara N, Barrachina I, Trillo JL, Uso R, de-la-Poza E. (2011) Explaining primary healthcare pharmacy expenditure using classification of medications for chronic conditions. *Health Policy* 103:9-15. <http://www.ncbi.nlm.nih.gov/pubmed/21956046>.
251. Volpel A, O'Brien J, Weiner J. (2005) *Strategies for Assessing Health Plan Performance on Chronic Diseases: Selecting Performance Indicators and Applying Health-Based Risk Adjustment*. Hamilton, NJ: Center for Health Care Strategies. http://www.chcs.org/usr_doc/99529MD.pdf.
252. Weiner J. (1991) Ambulatory Case-Mix Methodologies: Applications to Primary Care Research. In: Grady M, eds. *Primary Care Research: Theory and Methods*. Washington, DC: USDHHS. AHCPR Pub 91-0011:75-82.
253. Weiner JP. (2003) *Development and Evaluation of the Johns Hopkins University Risk Adjustment Models for Medicare+Choice Plan Payment*. Final Report to Centers for Medicare and Medicaid Services, US Department of Health and Human Services. Baltimore, MD: Johns Hopkins University.
254. Weiner JP. (1991) HMOs and managed care: implications for rural physician manpower planning. *J Rural Health* 7:373-387. <http://www.ncbi.nlm.nih.gov/pubmed/10116029>.

The Johns Hopkins ACG® System Bibliography

as of January 24, 2012



255. Weiner JP, de Lissoyoy G. (1993) Razing a Tower of Babel: a taxonomy for managed care and health insurance plans. *J Health Polit Policy Law* 18:75-103; discussion 105-112. <http://www.ncbi.nlm.nih.gov/pubmed/8320444>.
256. Weiner JP, Dobson A, Maxwell SL, Coleman K, Starfield B, Anderson GF. (1996) Risk-adjusted Medicare capitation rates using ambulatory and inpatient diagnoses. *Health Care Financ Rev* 17:77-99. <http://www.ncbi.nlm.nih.gov/pubmed/10158737>.
257. Weiner JP, Ferriss DM. (1990) GP budget holding in the United Kingdom: learning from American HMOs. *Health Policy* 16:209-220. <http://www.ncbi.nlm.nih.gov/pubmed/10109802>.
258. Weiner JP, Lyles A, Steinwachs DM, Hall KC. (1991) Impact of managed care on prescription drug use. *Health Aff* 10:140-154. <http://www.ncbi.nlm.nih.gov/pubmed/2045046>.
259. Weiner JP, Starfield BH, Lieberman RN. (1992) Johns Hopkins Ambulatory Care Groups (ACGs). A case-mix system for UR, QA and capitation adjustment. *HMO Pract* 6:13-19. <http://www.ncbi.nlm.nih.gov/pubmed/10119658>.
260. Weiner JP, Starfield BH, Powe NR, Stuart ME, Steinwachs DM. (1996) Ambulatory care practice variation within a Medicaid program. *Health Serv Res* 30:751-770. <http://www.ncbi.nlm.nih.gov/pubmed/8591928>.
261. Weiner JP, Starfield BH, Steinwachs DM, Mumford LM. (1991) Development and application of a population-oriented measure of ambulatory care case-mix. *Med Care* 29:452-472. <http://www.ncbi.nlm.nih.gov/pubmed/1902278>.
262. Weiner JP, Tucker AM, Collins AM, Fakhraei H, Lieberman R, Abrams C, Trapnell GR, Folkemer JG. (1998) The development of a risk-adjusted capitation payment system: the Maryland Medicaid model. *J Ambul Care Manage* 21:29-52. <http://www.ncbi.nlm.nih.gov/pubmed/10387436>.
263. Weir S, Aweh G, Clark RE. (2008) Case selection for a Medicaid chronic care management program. *Health Care Financ Rev* 30:61-74. <http://www.ncbi.nlm.nih.gov/pubmed/19040174>.
264. Weir S, Jones WC. (2009) Selection of Medicaid Beneficiaries for Chronic Care Management Programs: Overview and Uses of Predictive Modeling. Shrewsbury, MA: Center for Health Policy and Research.
265. Weppner WG, Ralston JD, Koepsell TD, Grothaus LC, Reid RJ, Jordan L, Larson EB. (2010) Use of a shared medical record with secure messaging by older patients with diabetes. *Diabetes Care* 33:2314-2319. <http://www.ncbi.nlm.nih.gov/pubmed/20739686>.
266. Weyrauch KF, Boiko P, Feeny D. (1995) HMO family physicians: men and women differ in their work. *HMO Pract* 9:155-161. <http://www.ncbi.nlm.nih.gov/pubmed/10170166>.
267. Willson DF, Horn SD, Hendley JO, Smout R, Gassaway J. (2001) Effect of practice variation on resource utilization in infants hospitalized for viral lower respiratory illness. *Pediatrics* 108:851-855. <http://www.ncbi.nlm.nih.gov/pubmed/11581435>.
268. Winkelman R, Damler R. (2008) Risk adjustment in state Medicaid programs. *Health Watch* :14-17, 32-34. <http://www.soa.org/library/newsletters/health-watch-newsletter/2008/january/hsn-2008-iss57.pdf>.

The Johns Hopkins ACG® System Bibliography

as of January 24, 2012



269. Wolff JL, Starfield B, Anderson G. (2002) Prevalence, expenditures, and complications of multiple chronic conditions in the elderly. *Arch Intern Med* 162:2269-2276.
<http://www.ncbi.nlm.nih.gov/pubmed/12418941>.
270. Wong ST, Kao C, Crouch JA, Korenbrot CC. (2006) Rural American Indian Medicaid health care services use and health care costs in California. *Am J Public Health* 96:363-70.
271. Woolf SH, Rothemich SF, Johnson RE, Marsland DW. (2000) Selection bias from requiring patients to give consent to examine data for health services research. *Arch Fam Med* 9:1111-1118. <http://www.ncbi.nlm.nih.gov/pubmed/11115216>.
272. Zielinski A. (2011) Analysing Performance of Primary Health Care Using the ACG Case-Mix System. Malmö, Sweden: Lund University (doctoral dissertation).
273. Zielinski A, Hakansson A, Beckman A, Halling A. (2011) Impact of comorbidity on the individual's choice of primary health care provider. *Scand J Prim Health Care* 29:104-109.
<http://www.ncbi.nlm.nih.gov/pubmed/21413840>.
274. Zielinski A, Hakansson A, Jurgutis A, Ovhed I, Halling A. (2008) Differences in referral rates to specialised health care from four primary health care models in Klaipeda, Lithuania. *BMC Fam Pract* 9:63.
275. Zielinski A, Kronogard M, Lenhoff H, Halling A. (2009) Validation of ACG Case-mix for equitable resource allocation in Swedish primary health care. *BMC Public Health* 9:347.
<http://www.ncbi.nlm.nih.gov/pubmed/19765286>.